

Report No : AB0062245(8) Date: 2022-12-21

Application No : LB034308(7)

Client : FLASHBAY ELECTRONICS

BUILDING2, JIXUN INDUSTRIAL PARK,

XINJIAO, DONG'AO VILLAGE, SHATIAN TOWN, HUIYANG DISTRICT,

HUIZHOU CITY, GUANGDONG PROVINCE, P.R. CHINA

Factory : FLASHBAY ELECTRONICS

BUILDING2, JIXUN INDUSTRIAL PARK,

XINJIAO, DONG'AO VILLAGE, SHATIAN TOWN, HUIYANG DISTRICT,

HUIZHOU CITY, GUANGDONG PROVINCE, P.R. CHINA

Sample : One (1) submitted sample(s) stated to be :

Description Item Name: Water Bottles

Item No. : Nova pure-NVP

Date Received : 2022-11-18.

Test Period : 2022-11-18 to 2022-11-29.

Test Requested : Specifications and Standards for Foods, Food Additives, etc. (Under the Japan Food

Sanitation Law, Ministry of Health and Welfare notice No. 370,

28 December 1959, the Ministry of Health, Labour and Welfare **notice No. 201,** 31 March 2006, **notice No. 416,** 11 August 2008, **notice No. 595,** 28 December 2012 and

notice No. 245, Jun 2016)

Part III – Implements, Containers and Packaging

Test Method : As stated in the above specification.

Test Result : Refer to the results pages for details.

Authorized Signature :

Wan Leong Hang
Technical Manager

The conformity statement stated in Conclusion above is based on the decision rule agreed with applicant and listed in <a href="www.cmatesting.org/qac/statement-of-conformity.pdf">www.cmatesting.org/qac/statement-of-conformity.pdf</a>.

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="www.cmatesting.org">www.cmatesting.org</a>.

This document shall not be reproduced except in full without written approval by CMA Testing. The results apply to the sample as received unless otherwise specified. The observations and test results in this report are relevant only to the sample tested.



Report No : AB0062245(8) Date: 2022-12-21

Application No : LB034308(7)

Conclusion : <u>Test Item</u> <u>Result</u>

Specifications and Standards for Foods, Food Additives, etc. (Under the Japan Food Sanitation Law, Ministry of Health and Welfare **notice No. 370**, 28 December 1959, the Ministry of Health, Labour and Welfare **notice No. 201**, 31 March 2006, **notice No. 416**, 11 August 2008, **notice No. 595**, 28 December 2012 and **notice No. 245**, Jun

2016)

Part III – Implements, Containers and Packaging Passed

Remark : 1. Material information in this report is provided by client

2. This report supersedes the test report no. AB0059199(0) issued on 2022-12-05. "^" denotes revised information due to information clarified

3. Result of (b) Individual specifications of (i) Polystyrene (and styrene type) deleted due to information clarified.

Authorized Signature :

Wan Leong Hang
Technical Manager

The conformity statement stated in Conclusion above is based on the decision rule agreed with applicant and listed in <a href="www.cmatesting.org/qac/statement-of-conformity.pdf">www.cmatesting.org/qac/statement-of-conformity.pdf</a>.

This document is issued subject to the latest CMA Testing General Terms and Conditions of Testing and Inspection Services, available on request or accessible at website <a href="www.cmatesting.org">www.cmatesting.org</a>.

This document shall not be reproduced except in full without written approval by CMA Testing. The results apply to the sample as received unless otherwise specified. The observations and test results in this report are relevant only to the sample tested.



Report No : AB0062245(8) Date: 2022-12-21

Application No : LB034308(7)

Test Result :

Specifications and Standards for Foods, Food Additives, etc. (Under the Japan Food Sanitation Law, Ministry of Health and Welfare **notice No. 370,** 28 December 1959, the Ministry of Health, Labour and Welfare **notice No. 201,** 31 March 2006, **notice No. 416,** 11 August 2008, **notice No. 595,** 28 December 2012 and **notice No. 245,** Jun 2016)

Part III - Implements, Containers and Packaging.

#### A. Standards for General Implements, Containers, Packaging and Component Materials

#### (a) Coloring matters

Tast itsus	1	Sample 2	2	T ::4
<u>Test item</u>	<u>1</u>	<u>Z</u>	<u>3</u>	<u>Limit</u>
Running of coloring matters	N.R.	N.R.	N.R.	N.R.

Note 1 : N.R. denotes Not Recognized

Note 2 : ^Sample 1 = Black PP of lid of item

Sample 2 = Translucent silicone rubber of gasket of item Sample 3 = Silvery metal (stainless steel) of body of item

#### (b) Manufactured or Repaired using Metal

<u>Test item</u>	Sample 3	<u>Limit</u>
Lead Content (% w/w)	<0.0015	0.1
Antimony (% w/w)	<0.01	5

Note 1 : % w/w denotes percentage by weight

Note 2 : < denotes less than

Note 3 : Sample 3 = Silvery metal (stainless steel) of body of item



Report No : AB0062245(8) Date: 2022-12-21

Application No : LB034308(7)

Test Result

### D. Material-specific Specifications for Implements, Containers, Packaging and Component Materials

## D2. Synthetic resin implements, containers and packaging

- (a) General specification
- (i) Material Test

<u>Test item</u>	<u>Sample</u> <u>1</u>	<u>Limit</u>
Cadmium content (µg/g)	<5	100
Lead content (µg/g)	<15	100

## (ii) Elution Test

<u>Test item</u>	<u>Sample</u> <u>1</u>	<u>Limit</u>
Consumption of KMnO <sub>4</sub> (water, 60°C, 30 mins), (µg/ml)	<2	10
Heavy metals as Lead (4% acetic acid, 60°C, 30 mins), (µg/ml)	<1	1

Note 1 : μg/g denotes microgram per gram μg/ml denotes microgram per milliliter

Note 2 : < denotes less than

Note 3 : Tests are for container / implement used at temperature less than 100°C

Note 4 : ^Sample 1 = Black PP of lid of item



Report No : AB0062245(8) Date: 2022-12-21

Application No : LB034308(7)

Test Result :

(b) Individual specifications

^Polyethylene (PE) and Polypropylene (PP)

**Elution Test** 

Test item	<u>Sample</u> <u>1</u>	<u>Limit</u>
Evaporation residue		
- water (60°C, 30 mins), (μg/ml)	<10	30
- 4% acetic acid (60°C, 30 mins), (µg/ml)	<10	30
- n-heptane (25°C, 60 mins), (μg/ml)	<10	150

Note 1 : µg/ml denotes microgram per milliliter

Note 2 : < denotes less than

Note 3 : Tests are for container / implement used at temperature less than 100°C

Note 4 : ^Sample 1 = Black PP of lid of item

## D3. Rubber implements, containers and packaging

Rubber implements (except nursing utensils), containers and packaging - Not containing chlorine

	<u>Test item</u>		<u>Sample</u> <u>2</u>	<u>Limit</u>
(i)	Material Test Cadmium Lead	(μg/g) (μg/g)	<5 <15	100 100
(ii)	Elution Test			
	Evaporation residue - water, 60°C, 30 mins	(µg/ml)	<10	60
	Phenol (water, 60°C, 30 mins)	(μg/ml)	<0.5	5
	Formaldehyde (water, 60°C, 30 mins)	(μg/1111)	NDC	NDC
	Zinc (4% acetic acid, 60°C, 30 mins)	$(\mu g/ml)$	< 0.1	15
	Heavy metals as Lead	$(\mu g/ml)$	<1	1
	(4% acetic acid, 60°C, 30 mins)			

Note 1 : μg/g denotes microgram per gram

µg/ml denotes microgram per milliliter

Note 2 : NDC denotes Not Darker than Contrast solution

Note 3 : < denotes less than

Note 4 : Tests are for container / implement used at temperature less than 100°C

Note 5 : Sample 2 = Translucent silicone rubber of gasket of item




Report No : AB0062245(8) Date: 2022-12-21

Application No : LB034308(7)

## **Appendix**









Report No : AB0062245(8) Date: 2022-12-21

Application No : LB034308(7)

## **Appendix**



Sample Not Tested (Photo provided by client)

\*\*\*\*\* End of Report \*\*\*\*\*